PRODUCT SPECIFICATION

METTRO 105

BENCH 64105

The Mettro 105 benches are a stylish addition to any public space whether you need a few benches for a small park or a long row of seating for a bustling city centre. Hardwearing timbers and a protective powder coating ensure durability and longevity even in high-traffic areas.

The benches can be customised to your requirements. Timber length, cladding material, frame colours, and cutout options can all be designed to reflect your vision.

64105.A - **Backless bench**

64105.B - **Backed bench**

PRODUCT FEATURES

- Frame typically manufactured in galvanised steel
- Powdercoated to the desired RAL colour
- Typically clad with Iroko
- Configured using Citi-system components
- 1 year manufacturer's warranty
- 4 week delivery (from approval/payment)

ADDITIONAL OPTIONS

- Alternative material e.g. Aluminum or stainless steel
- Alternative timber e.g. Accoya
- Option for plaques & engraving
- With or without backrest
- Custom finishes (anodised, sand blasted)
- Make removable / temporary

INSTALLATION GUIDELINES

Foundation & installation guidelines do not replace advice from qualified professionals.

*BOLT DOWN - SURFACE FIX

1) Excavate to given foundation dimensions (see data tables).
2) Fill with C40 grade concrete and level off, allowing sufficient space below ground to backfill (step 5) and leave to set.
3) Position the base plates as required on the concrete pad.
4) Base plates fixed to pad with M12 zinc plated anchor bolts.
5) Backfill to finished ground level with required materials.

STANDARD FRAME COLOUR OPTIONS

RAL 7016 Anthracite Grey	RAL **9005** Jet Black	RAL**9010** Pure white	RAL**5010** Gentian blue	RAL**6005** Moss green
RAL**7044** Silk grey	RAL**3020** Traffic red	RAL**3004** Purple red	RAL**8017** Chocolate brown	**Corten** effect

PROJECT EXAMPLES

WEALDON- Crematorium

RELATED PRODUCTS

64106 METTRO 106 - Picnic Set



0808 129 3773
enquiries@hornbeckgroup.com
www.hornbeckgroup.com



Model	64105.A06
Dimensions	H 450 x D 402 x L 600mm
Seating capacity	1 seater
Materials	Powder-coated steel, Iroko
Bolt down foundations	*Concrete Pad* = 1000 x 1000 x 400mm deep *Concrete grade* = C40



Model	64105.A12
Dimensions	H 450 x D 402 x L 1200mm
Seating capacity	2 seater
Materials	Powder-coated steel, Iroko
Bolt down foundations	*Concrete Pad* = 1300 x 1000 x 400mm deep *Concrete grade* = C40



Model	64105.A18
Dimensions	H 450 x D 402 x L 1800mm
Seating capacity	3 seater
Materials	Powder-coated steel, Iroko
Bolt down foundations (per footing)	*Concrete Pad* = 1900 x 1000 x 400mm deep *Concrete grade* = C40

0808 129 3773
enquiries@hornbeckgroup.com
www.hornbeckgroup.com



Model	64105.B06
Dimensions	H 823 x D 535 x L 600mm
Seating capacity	1 seater
Materials	Powder-coated steel, Iroko
Bolt down foundations	*Concrete Pad* = 1000 x 1000 x 400mm deep *Concrete grade* = C40



Model	64105.B12
Dimensions	H 823 x D 535 x L 1200mm
Seating capacity	2 seater
Materials	Powder-coated steel, Iroko
Bolt down foundations	*Concrete Pad* = 1300 x 1000 x 400mm deep *Concrete grade* = C40



Model	64105.B18
Dimensions	H 823 x D 535 x L 1800mm
Seating capacity	3 seater
Materials	Powder-coated steel, Iroko
Bolt down foundations (per footing)	*Concrete Pad* = 1900 x 1000 x 400mm deep *Concrete grade* = C40

0808 129 3773
enquiries@hornbeckgroup.com
www.hornbeckgroup.com